



---

**GUARANTEED ANALYSIS**

Total Nitrogen (N).....	6%
Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	24%
Soluble Potash (K <sub>2</sub> O) .....	6%
Derived From: Urea Nitrogen, Phosphate (P <sub>2</sub> O <sub>5</sub> ), Potassium (K <sub>2</sub> O).	

---

## 6-24-6 LIQUID STARTER

Liquid Concentrated Fertilizer for Foliar and Transplanting

**AVOID FREEZING**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**WHAT TO DO IN CASE OF CONTACT:**

**IF INGESTED:** Induce vomiting. Immediately call physician.

**EYE CONTACT:** Flush eyes with clean water for 15 minutes. Seek medical attention immediately.

**SKIN CONTACT:** Remove contaminated clothing and wash skin with soap and water. Seek medical attention if inflammation develops or persists.

**IF INHALED:** Move to fresh air and seek medical attention if inflammation develops or persists.



Net Contents: 1 gallons

Weight Per Gallon: 9.5 lbs. (app)

## SUGGESTED DIRECTIONS

**General use:** Apply at 2 to 4 quarts per acre as a foliar application to supplement the normal soil applied fertility program. Aircraft application may be made at the rate of 2-4 quarts in 5 gallons of water per acre. The rate for backpack sprayers is 2 ounces per gallon of water. Broadcast rate of Plant Agra is 2 to 4 quarts per acre on a 5 to 7 day schedule for most crops.

**Compatibility:** Plant Agra 6-24-6 is compatible with most pesticides commonly used on vegetable, fruit and agronomic crops.

**CAUTION: Do not use with dormant oil, Lime Sulfur, Spray Lime, or highly alkaline spray materials.** Add Plant-Agra 6-24-6 to the spray tank or premix tank when it is about ½ full. Agitation in the tank is preferred to increase the mixing of all pesticides.

**Transplanting:** Use 1 gal of Plant Agra 6-24-6 per 100 gallons of water in the water wheel transplanter or other machinery used for the same purpose.

**Vegetable crops:** Tomatoes, peppers, cucumbers, melons, squash, beans, potatoes etc. Use at the rate of 1 gallon Plant Agra 6-24-6 per acre in spray tank or 2 quarts per 100 gallons of water by volume.

**Fruit crops:** apples, peaches, plums, nectarines, cherries, citrus, etc., Use at the rate of 1 gallon Plant Agra 6-24-6 per acre in spray tank or 2 quarts per 100 gallons water by volume.

**Row crops:** cotton, soybeans, peanuts, field corn, popcorn, wheat, rice, etc. Use at the rate of 1 gallon per acre on a 10 to 14 day schedule to improve growth and yield. 1 to 5 applications is desirable depending on the crop and season.

**Turf, ornamentals, hay and forage crops:** Apply at the rate of 1 to 2 gallons per acre for extra growth as a foliar spray on a 7 to 10 day schedule.

**Berries:** blueberries, blackberries, raspberries, cranberries, grapes, etc. Use at the rate of 1 gallon per acre early in the season or whenever it is necessary to improve vine or cane vigor and growth.

**Strawberries:** Use at the rate of 1 gallon per acre when the first fruit buds show in the crown. Three or more additional applications are desirable at 7 to 10 day intervals.

**Application:** By ground application- 1 gallon per acre in 10 to 30 gallons of water. By air - 2 to 4 quarts per acre in 3 to 5 gallons of water per acre.

**Hydroponic cultures:** For specific crop recommendations, consult your State Horticultural Experiment Station or your Two-Way Trading Co., Inc. representative.

Information regarding the contents and levels of metals in this product are available on the internet at <http://www.aapfco.org/metals.htm>. Use this product in accordance with good agronomic practices, which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot. Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

The use of this material being beyond our control and involving elements of risk, to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label. Information concerning the raw materials composing this product can be obtained by writing to Two-Way Trading Co., Inc., P.O. Box 8362, Dothan, Alabama 36304.



P.O. Box 8362,  
Dothan, Alabama 36304





[www.plantagraproducts.com](http://www.plantagraproducts.com)

334-677-8004

## GUARANTEED ANALYSIS

Total Nitrogen (N).....10%

Urea Nitrogen

Available Phosphate ( $P_2O_5$ ).....10%

Available Potassium (K).....10%

Derived from: Urea Nitrogen, Phosphoric Acid ( $P_2O_5$ ), Potassium ( $K_2O_5$ ),  
Potassium Hydroxide.

---

## 10-10-10 LIQUID FEED

Liquid Concentrated Fertilizer for Foliar and Transplanting

### AVOID FREEZING

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

### WHAT TO DO IN CASE OF CONTACT:

**IF INGESTED:** Induce vomiting. Immediately call physician.

**EYE CONTACT:** Flush eyes with clean water for 15 minutes. Seek medical attention immediately.

**SKIN CONTACT:** Remove contaminated clothing and wash skin with soap and water. Seek medical attention if inflammation develops or persists.

**IF INHALED:** Move to fresh air and seek medical attention if inflammation develops or persists.

**NET CONTENTS: 1 gallon**



<b>GUARANTEED ANALYSIS</b>	
Total Nitrogen (N) .....	26.6%
11.2% Urea Nitrogen	
15.4% Water Soluble Nitrogen	
Boron (B) .....	5%
Derived from: Borates, urea, methylene diurea and methylene ureas.	
15.4% Slowly Available Nitrogen from methylene diurea and methylene ureas.	
1 gallon contains 0.5 pounds of elemental Boron (B) and 1.24 pounds of Nitrogen (N).	

## 26.6-0-0-5% BORON PLUS SRN

CONTROLLED RELEASE NITROGEN PLUS BORON NUTRITIONAL LIQUID CONCENTRATE  
**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

### CAUTION

**BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS and DIRECTIONS FOR USE.**

Avoid contact with formulated product. Do not take internally. Avoid contact with or inhalation of the spray mist. Do not apply this product in such a manner as to directly expose workers or other persons. If product is being mixed with pesticides and/or spray adjuvants, follow all precautionary statements on the accompanying product(s) labeling. Harmful if swallowed. Avoid contact with eyes and prolonged contact with skin to avoid irritation. Wear resistant gloves. Not for human or animal consumption.

### WHAT TO DO IN CASE OF CONTACT:

**IF INGESTED:** Drink large volumes of water (2 to 4 glasses of water). Do not induce vomiting. Obtain medical attention immediately.

**EYE CONTACT:** Flush eyes with clean water for 15 minutes. Seek medical attention immediately.

**SKIN CONTACT:** Remove contaminated clothing and wash skin with soap and water. Seek medical attention if inflammation develops or persists.

**IF INHALED:** Move to fresh air and seek medical attention if inflammation develops or persists.

**WARNING: USE WITHIN 9 MONTHS FROM DATE OF PURCHASE. MAY CAUSE IRRITATION. HARMFUL IF SWALLOWED.** This product contains Boron. Determine plant sensitivity prior to use. Crops sensitive to Boron may be injured.



Net Contents: 2.5 gallons  
250/265/275 gallons

Net Weight: 10.6 lb per gallon (approximate)

**GENERAL INFORMATION:** This product is recommended for use as a supplement to a regular fertilizer program only. Foliar fertilization is intended as a supplement to a regular fertilizer program and will not by itself provide all the nutrients required by crops or other intended plants.

**PRECAUTION:** Use of this product in accordance with label directions is not expected to adversely affect normal vegetative and/or reproductive growth in most situations. However, various environmental and agronomic factors, such as crop stress associated with high temperatures and/or dry conditions, make it impossible to eliminate all risks associated with the use of the product; therefore, crop injury is always possible. The user assumes all risks of use and handling. In an effort to reduce the risk of crop injury, apply early morning or late evening.

**GENERAL RECOMMENDATIONS:** 26.6-0-0-5% Boron Plus may be applied by air, ground or through irrigation systems. Use enough water for thorough, uniform coverage of foliage or soil. 26.6-0-0-5% Boron Plus is compatible with most pesticides and other fertilizers, but a "jar test" is recommended for unfamiliar tank mixes to ensure compatibility.

The following is a guide for the use of 26.6-0-0-5% Boron Plus as a plant nutrient. Rates and frequency of application will depend on individual management programs. Use of 26.6-0-0-5% Boron Plus on any crops not listed on this table must be as a result of recommendations from your local agricultural authority.

**ROW CROPS, TREE CROPS, FRUIT AND VEGETABLE CROPS:**

Apply 1 – 4 quarts beginning at early bloom and thru fruit set on an as needed basis. \*DO NOT APPLY TO FRUIT TREES AT EARLY BLOOM THROUGH FRUIT SET. Row crops will require multiple applications to achieve Boron requirements. Apply in sufficient water to ensure thorough coverage.

**CONVERSION CHART**

The following chart can be used as a guide for applying the correct rates of 26.6-0-0-5% Boron Plus

Pounds of Boron (B) To be applied per acre	Amount of SRN to be applied per acre
0.1	26.0 ounces
0.2	3.2 pints
0.25	4.0 pints
0.50	1.0 gallon
1.00	2.0 gallons

**STORAGE AND BLENDING INSTRUCTIONS**

Store unblended material in closed container between 35° F and 90°F. Do not store in unmarked containers. Dilute with water and lend with other nutrients and pesticides only at time of application and in the amounts required.

**TANK MIXING**

Add ½ total water to tank. Turn on recirculation line. Add prescribed amount of 26.6-0-0-5% Boron Plus to tank. Add liquid flowable materials. Add any soluble powders. Bring water to volume and recirculate before spraying.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>. Use this product in accordance with good agronomic practices, which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot. Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

The use of this material being beyond our control and involving elements of risk, to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label. Information concerning the raw materials composing this product can be obtained by writing to

Two-Way Trading Co., Inc.,  
P.O. Box 8362, Dothan, Alabama 36304.



P.O. Box 8362,  
Dothan, Alabama 36304





---

### GUARANTEED ANALYSIS

Total Nitrogen (N).....3%  
    1% Ammoniacal Nitrogen  
    2% Urea Nitrogen  
Available Phosphate (P2O5) ..... 18%  
Soluble Potash (K2O) ..... 18%  
Derived From: Ammonia, Urea.

---

## 3-18-18 ROW CROP LIQUID

Liquid Concentrated Fertilizer for Foliar, Soil Applied and Transplanting

**AVOID FREEZING**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

### WHAT TO DO IN CASE OF CONTACT:

**IF INGESTED:** Induce vomiting. Immediately call physician.

**EYE CONTACT:** Flush eyes with clean water for 15 minutes. Seek medical attention immediately.

**SKIN CONTACT:** Remove contaminated clothing and wash skin with soap and water. Seek medical attention if inflammation develops or persists.

**IF INHALED:** Move to fresh air and seek medical attention if inflammation develops or persists.



Net Contents: 2.5 gallons  
250/265/275 gallons

## SUGGESTED DIRECTIONS

**General use:** Apply at 2 to 4 quarts per acre as a foliar application to supplement the normal soil applied fertility program. Aircraft application may be made at the rate of 2-4 quarts in 5 gallons of water per acre. The rate for backpack sprayers is 2 ounces per gallon of water. Broadcast rate of Plant Agra is 2 to 4 quarts per acre on a 5 to 7 day schedule for most crops.

**Compatibility:** Plant Agra 3-18-18 is compatible with most pesticides commonly used on vegetable, fruit and agronomic crops.

**CAUTION: Do not use with dormant oil, Lime Sulfur, Spray Lime, or highly alkaline spray materials.** Add Plant-Agra 3-18-18 to the spray tank or premix tank when it is about 1/2 full. Agitation in the tank is preferred to increase the mixing of all pesticides.

**Transplanting:** Use 1 gal of Plant Agra 3-18-18 per 100 gallons of water in the water wheel transplanter or other machinery used for the same purpose.

**Vegetable crops:** Tomatoes, peppers, cucumbers, melons, squash, beans, potatoes etc. Use at the rate of 1 gallon Plant Agra 3-18-18 per acre in spray tank or 2 quarts per 100 gallons of water by volume.

**Fruit crops:** apples, peaches, plums, nectarines, cherries, citrus, etc., Use at the rate of 1 gallon Plant Agra 3-18-18 per acre in spray tank or 2 quarts per 100 gallons water by volume.

**Row crops:** cotton, soybeans, peanuts, field corn, popcorn, wheat, rice, etc. Use at the rate of 1 gallon per acre on a 10 to 14 day schedule to improve growth and yield. 1 to 5 applications is desirable depending on the crop and season.

**Turf, ornamentals, hay and forage crops:** Apply at the rate of 1 to 2 gallons per acre for extra growth as a foliar spray on a 7 to 10 day schedule.

**Berries:** blueberries, blackberries, raspberries, cranberries, grapes, etc. Use at the rate of 1 gallon per acre early in the season or whenever it is necessary to improve vine or cane vigor and growth.

**Strawberries:** Use at the rate of 1 gallon per acre when the first fruit buds show in the crown. Three or more additional applications are desirable at 7 to 10 day intervals.

**Application:** By ground application- 1 gallon per acre in 10 to 30 gallons of water. By air - 2 to 4 quarts per acre in 3 to 5 gallons of water per acre.

**Hydroponic cultures:** 16 ounces of Plant Agra 3-18-18 per each 100 gallons of water yields a nutrient solution containing 30 ppm of each of the major nutrients. For specific crop recommendations, consult your State Horticultural Experiment Station.

Information regarding the contents and levels of metals in this product are available on the internet at <http://www.aapfco.org/metals.htm>. Use this product in accordance with good agronomic practices, which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot. Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

The use of this material being beyond our control and involving elements of risk, to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label. Information concerning the raw materials composing this product can be obtained by writing to

Two-Way Trading Co., Inc.,  
P.O. Box 8362, Dothan, Alabama 36304.



P.O. Box 8362,  
Dothan, Alabama 36304

